

Health & Care Information Model: nl.zorg.SpecifiekeMentaleFuncties

Final

Managed by:

Better health
through better IT

Nictiz 



Content

1.	nl.zorg.SpecifiekeMentaleFuncties-v3.0	4
1.1	Revision History	4
1.2	Concept	4
1.3	Mindmap	4
1.4	Purpose	5
1.5	Patient Population	5
1.6	Evidence Base	5
1.7	Information Model	5
1.8	Example Instances	12
1.9	Instructions	12
1.10	Interpretation	12
1.11	Care Process	13
1.12	Example of the Instrument	13
1.13	Constraints	13
1.14	Issues	13
1.15	References	13
1.16	Functional Model	13
1.17	Traceability to other Standards	13
1.18	Disclaimer	13
1.19	Terms of Use	14
1.20	Copyrights	14

1. nl.zorg.SpecifiekeMentaleFuncties-v3.0

DCM::CoderList	Werkgroep RadB Verpleegkundige Gegevens
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	*
DCM::ContentAuthorList	Werkgroep RadB Verpleegkundige Gegevens
DCM::CreationDate	1-4-2014
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.18.4
DCM::KeywordList	Specifieke mentale functies, denken, geheugen, stemming, aandacht
DCM::LifecycleStatus	Final
DCM::ModelerList	Werkgroep RadB Verpleegkundige Gegevens
DCM::Name	nl.zorg.SpecifiekeMentaleFuncties
DCM::PublicationDate	1-5-2016
DCM::PublicationStatus	Published
DCM::ReviewerList	Projectgroep RadB Verpleegkundige Gegevens & Kerngroep Registratie aan de Bron
DCM::RevisionDate	8-9-2015
DCM::Superseeds	nl.nfu.SpecifiekeMentaleFuncties-v1.0
DCM::Version	3.0

1.1 Revision History

Publicatieversie 1.0 (01-07-2015)

Publicatieversie 3.0 (01-05-2016)

Bevat: ZIB-453

1.2 Concept

! Attention: this information model is undergoing major revision. A new version will be available after summer.

Important parts of the brain's specific mental functions are attention, mood, thought and memory. Disorders in attention, memory and observation combined with orientation and consciousness from the GeneralMentalFunctions information model are seen as important symptoms for a delirium.

The concept specific mental functions does not contain behavior resulting from a mental disorder.

1.3 Mindmap

1.4 Purpose


There is a link between the described specific mental functions. In context, insight into any disorders in the function(s) can provide a good picture of the patient’s mental state. This information is essential in drawing up the healthcare plan, taking into account the approach and support for the patient within their wishes and possibilities.

1.5 Patient Population

1.6 Evidence Base

The definitions of the concepts were (partially) taken from the ICF definitions.

1.7 Information Model



«rootconcept»	SpecifiekeMentaleFuncties
Definitie	Root concept of the SpecificMentalFunctions information model. This concept contains all data elements of the SpecificMentalFunctions information model.
Datatype	
DCM::DefinitionCode	NL-CM:18.4.1
Opties	

«data»	Aandacht	
Definitie	Attention is the specific mental function linked to focusing on an external stimulus or an internal experience during the required period. This concept includes holding your attention, changing areas of attention, dividing attention, and sharing attention; concentration; distractibility.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:18.4.2	
DCM::DefinitionCode	ICF: b140 Aandacht	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	AandachtCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.1
Opties		

«container»	Geheugen	
Definitie	Container of the Memory concept. This container contains all data elements of the Memory concept.	
Datatype		
DCM::DefinitionCode	NL-CM:18.4.5	
DCM::DefinitionCode	SNOMED CT: 303116000 Memory,function	
Opties		

«data»	GeheugenKorteTermijn	
Definitie	The short-term memory includes the temporary memory storage of around 30 seconds, from which information is lost if it is not stored in the long-term memory.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:18.4.6	
DCM::DefinitionCode	ICF: b1440 Korte termijn geheugen	
DCM::ExampleValue	Matige stoornis	
DCM::ValueSet	GeheugenKorteTermijnCodel ijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.2
Opties		

«data»	GeheugenLangeTermijn	
Definitie	The long-term memory contains the memory system which enables a patient to store information from the short-term memory for longer periods of time. This includes both autobiographical memory, in which memories of certain events are stored, and semantic memory for language and facts.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:18.4.7	
DCM::DefinitionCode	ICF: b1441 Lange termijn geheugen	

DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	GeheugenLangeTermijnCode lijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.3
Opties		

«container»	Denken	
Definitie	Container of the Thought concept. This container contains all data elements of the Thought concept.	
Datatype		
DCM::DefinitionCode	SNOMED CT: 88952004 Thinking,function	
DCM::DefinitionCode	NL-CM:18.4.8	
Opties		

«data»	Denktempo	
Definitie	Speed of thought describes the speed of the thinking process.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:18.4.9	
DCM::DefinitionCode	ICF: b1600 Denktempo	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	DenktempoCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.4
Opties		

«data»	DenkenCoherentie	
Definitie	Thought coherence describes the connections within and logic of the thought process. This concept includes superficiality, exhaustive detail and unnecessarily repeating executed procedures, spoken words or sentences and continuing to see past observations.	
Datatype	CO	
DCM::DefinitionCode	ICF: b1601 Wijze van denken	
DCM::DefinitionCode	NL-CM:18.4.10	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	DenkenCoherentieCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.5
Opties		

«data»	DenkenInhoud	
Definitie	Thought content describes the ideas present in the thought process: that which is conceptualized. This concept includes disorders such as fantasies, overvalued concepts and somatization.	
Datatype	CO	
DCM::DefinitionCode	ICF: b1602 Inhoud denkproces	

DCM::DefinitionCode	NL-CM:18.4.11	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	DenkenInhoudCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.6
Opties		

«data»	DenkenControle	
Definitie	The specific mental functions that describe the voluntary control of thought and which are recognized as such by the patient. This concept contains disorders such as getting stuck in certain thoughts, obsession and receiving and experiencing forced thoughts.	
Datatype	CO	
DCM::DefinitionCode	ICF: b1603 Controle denkproces	
DCM::DefinitionCode	NL-CM:18.4.12	
DCM::ExampleValue	Matige stoornis	
DCM::ValueSet	DenkenControleCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.7
Opties		

«container»	Stemming	
Definitie	Container of the Mood concept. This container contains all data elements of the Mood concept.	
Datatype		
DCM::DefinitionCode	NL-CM:18.4.13	
DCM::DefinitionCode	SNOMED CT: 85256008 Mood,function	
Opties		

«data»	StemmingAdequatheid	
Definitie	Mood adequacy describes congruence of feeling or affect with the situation, such as happiness when receiving good news.	
Datatype	CO	
DCM::DefinitionCode	ICF: b1520 Adequatheid van stemming	
DCM::DefinitionCode	NL-CM:18.4.14	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	StemmingAdequatheidCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.8
Opties		

«data»	StemmingRegulering	
Definitie	Mood regulation describes experiencing affect and the ability to show affect.	
Datatype	CO	

DCM::DefinitionCode	ICF: b1521 Regulering van stemming	
DCM::DefinitionCode	NL-CM:18.4.15	
DCM::ExampleValue	Matige stoornis	
DCM::ValueSet	StemmingReguleringCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.9
Opties		

«data»	VerpleegkundigeActie	
Definitie	The nursing procedures needed to help the patient with disorders in specific mental functions.	
Datatype		
DCM::DefinitionCode	NL-CM:18.4.4	
DCM::ExampleValue	Ondersteunen dagstructuur, begeleiding inname medicatie en controleer op (bij)werking.	
DCM::ReferencedDefinitionCode	NL-CM:14.2.9	This is a reference to concept VerpleegkundigeActie in information model VerpleegkundigeInterventie.
Opties		

«data»	Toelichting	
Definitie	An explanation of the specific mental functions.	
Datatype	ST	
DCM::DefinitionCode	NL-CM:18.4.3	
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment	
DCM::ExampleValue	Patiënt is verhuisd naar een eenpersoonskamer, omdat hij het idee had dat zijn buurman hem bespiedde. Begrijpt niet goed waarom hij in het ziekenhuis ligt.	
Opties		

«document»	AandachtCodelijst	
Definitie		
Datatype		
Opties		

AandachtCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.1		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1520.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1520.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1520.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1520.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%

Volledige stoornis	b1520.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%
--------------------	---------	-----	-------------------------	------------------

«document»		GeheugenKorteTermijnCodelijst		
Definitie				
Datatype				
Opties				
GeheugenKorteTermijnCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.2		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1440.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1440.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1440.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1440.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1440.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»		GeheugenLangeTermijnCodelijst		
Definitie				
Datatype				
Opties				
GeheugenLangeTermijnCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.3		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1441.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1441.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1441.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1441.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1441.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»		DenktempoCodelijst		
Definitie				
Datatype				
Opties				
DenktempoCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.4		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1600.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1600.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1600.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1600.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1600.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»		DenkenCoherentieCodelijst		
Definitie				
Datatype				

Opties				
DenkenCoherentieCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.5		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1601.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1601.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1601.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1601.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1601.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»		DenkenInhoudCodelijst		
Definitie				
Datatype				
Opties				
DenkenInhoudCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.6		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1602.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1602.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1602.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1602.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1602.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»		DenkenControleCodelijst		
Definitie				
Datatype				
Opties				
DenkenControleCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.7		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1603.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1603.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1603.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1603.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1603.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»		StemmingAdequaatheidCodelijst		
Definitie				
Datatype				
Opties				
StemmingAdequaatheidCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.8		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1520.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1520.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%

Matige stoornis	b1520.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1520.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1520.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»		StemmingReguleringCodelijst		
Definitie				
Datatype				
Opties				
StemmingReguleringCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.9		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1521.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1521.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1521.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1521.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1521.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

1.8 Example Instances

SpecifiekeMentaleFuncties	
Aandacht	Lichte stoornis (5-24%)
Geheugen	
GeheugenKorteTermijn	Lichte stoornis (5-24%)
GeheugenLangeTermijn	Matige stoornis (25-49%)
Stemming	
StemmingAdequatheid	Lichte stoornis (5-24%)
StemmingRegulering	Matige stoornis (25-49%)
Denken	
Denktempo	Lichte stoornis (5-24%)
DenkenCoherentie	Lichte stoornis (5-24%)
DenkenInhoud	Lichte stoornis (5-24%)
DenkenControle	Matige stoornis (25-49%)
VerpleegkundigeActie	
Activiteit	Ondersteuning dagstructuur aan de hand van programma, lag op een eenpersoonskamer.
Toelichting	Patiënt is na operatie acuut verward geweest, gaat al wel beter, maar is soms nog weg kwijt. Heeft wel door dat hij soms in de war is en vindt dit erg vervelend.

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1. International Classification of Functioning Disability and Health (ICF) [Online] Beschikbaar op: <http://www.rivm.nl/who-fic/icf.htm> [Geraadpleegd: 13 februari 2015]

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

This Health and Care Information Model (a.k.a Clinical Building Block) has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Models. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of this Health and Care Information Model. The parties will not accept any liability for the content of information in this Health and Care Information Model to which or from which a hyperlink is referred. In the event of contradictions in mentioned Health and Care Information Model documents and files, the most recent and highest version of the

listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of this Health and Care Information Model is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the information in this Health and Care Information Model without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on information from this Health and Care Information Model.

1.20 Copyrights

The user may copy, distribute and pass on the information in this Health and Care Information Model under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0). The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)