

Health&Care Information Model:

nl.zorg.DecubitusWond

Final

Managed by:

Better healthcare
through better IT



Content

| | |
|---|----------|
| 1. nl.zorg.DecubitusWond-v3.0..... | 3 |
| 1.1 Revision History..... | 3 |
| 1.2 Concept | 3 |
| 1.3 Mindmap | 3 |
| 1.4 Purpose..... | 3 |
| 1.5 Patient Population | 4 |
| 1.6 Evidence Base | 4 |
| 1.7 Information Model | 4 |
| 1.8 Example Instances..... | 7 |
| 1.9 Instructions | 8 |
| 1.10 Interpretation | 8 |
| 1.11 Care Process | 8 |
| 1.12 Example of the Instrument | 8 |
| 1.13 Constraints..... | 8 |
| 1.14 Issues | 8 |
| 1.15 References | 8 |
| 1.16 Functional Model | 8 |
| 1.17 Traceability to other Standards..... | 9 |
| 1.18 Disclaimer | 9 |
| 1.19 Terms of Use | 9 |
| 1.20 Copyrights | 9 |

1. nl.zorg.DecubitusWond-v3.0

| | |
|---------------------------------|--|
| DCM::CoderList | Werkgroep RadB Verpleegkundige Gegevens |
| DCM::ContactInformation.Address | * |
| DCM::ContactInformation.Name | * |
| DCM::ContactInformation.Telem | * |
| DCM::ContentAuthorList | Werkgroep RadB Verpleegkundige Gegevens |
| DCM::CreationDate | 7-7-2014 |
| DCM::DeprecatedDate | |
| DCM::DescriptionLanguage | nl |
| DCM::EndorsingAuthority.Address | |
| DCM::EndorsingAuthority.Name | NFU & V&VN |
| DCM::EndorsingAuthority.Telem | |
| DCM::Id | 2.16.840.1.113883.2.4.3.11.60.40.3.19.1 |
| DCM::KeywordList | Decubitus, doorligwond, wond |
| DCM::LifecycleStatus | Final |
| DCM::ModelerList | Werkgroep RadB Verpleegkundige Gegevens |
| DCM::Name | nl.nfu.DecubitusWond |
| DCM::PublicationDate | 1-5-2016 |
| DCM::PublicationStatus | Published |
| DCM::ReviewerList | Projectgroep RadB Verpleegkundige Gegevens & Kerngroep Registratie aan de Bron |
| DCM::RevisionDate | 8-9-2015 |
| DCM::Superseeds | |
| DCM::Version | 1.0 |

1.1 Revision History

Publicatieversie 1.0 (01-07-2015)

Publicatieversie 3.0 (01-05-2016)

Bevat: ZIB-453

1.2 Concept

A decubitus wound is localized damage to the skin and/or underlying tissue, often over a bony prominence, as a result of pressure or pressure combined with friction.

A decubitus wound involves a major disease burden and reduces the quality of life for a patient. Adequate risk evaluation, prevention and treatment of decubitus wounds can lead to a fewer incidences and prevalence of decubitus wounds.

1.3 Mindmap

1.4 Purpose

Information on the decubitus ulcer is of importance in starting or continuing the best possible wound

treatment, curatively and preventatively, and to be able to properly monitor the wound healing process.


1.5 Patient Population

1.6 Evidence Base

To describe the wound, there are 4 categories, based on the international NPUAP/EPUAP decubitus classification system:

- Category 1: non-removable redness of intact skin;
- Category 2: loss of a partial layer of skin or blister;
- Category 3: loss of an entire layer of skin (visible fat);
- Category 4: loss of an entire layer of tissue (visible muscle/bone).

1.7 Information Model



| «rootconcept» | DecubitusWond |
|-------------------|---|
| Alias | EN: DecubitusWound |
| Definition | Root concept of the DecubitusWound building block. This root concept contains all data elements of the DecubitusWound building block. |
| Datatype | |

| | | |
|----------------------------|---|--|
| DCM::DefinitionCode | NL-CM:19.1.1 | |
| DCM::DefinitionCode | SNOMED CT: 400192002 Decubitus ulcer | |
| Options | | |

| | | |
|----------------------------|---|---|
| «data» | DecubitusCategorie | |
| Alias | EN: DecubitusCategory | |
| Definition | Description of the condition of the decubitus wound, ranging from category 1 - 4. | |
| Datatype | CO | |
| DCM::DefinitionCode | NL-CM:19.1.2 | |
| DCM::ExampleValue | Pressure ulcer stage 3 | |
| DCM::ValueSet | DecubitusCategorieCodelijst | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.1.1 |
| Options | | |

| | | |
|----------------------------|---|--|
| «data» | OntstaansDatum | |
| Alias | EN: StartDate | |
| Definition | The date on which the decubitus wound appeared. | |
| Datatype | TS | |
| DCM::DefinitionCode | NL-CM:19.1.3 | |
| DCM::ExampleValue | 01-07-2014 | |
| Options | | |

| | | |
|----------------------------|--|--|
| «data» | AnatomischeLocatie | |
| Alias | EN: AnatomicalLocation | |
| Definition | The location of the decubitus wound on the body. | |
| Datatype | CD | |
| DCM::DefinitionCode | NL-CM:19.1.4 | |
| DCM::ExampleValue | Linker bil | |
| DCM::ValueSet | DecubitusAnatomischeLocati | OID: eCodelijst 2.16.840.1.113883.2.4.3.11.60.40.2.19.1.2 |
| Options | | |

| | | |
|----------------------------|--|--|
| «data» | DatumLaatsteVerbandwissel | |
| Alias | EN: DateOfLastDressingChange | |
| Definition | The date on which the dressing was last changed. | |
| Datatype | TS | |
| DCM::DefinitionCode | NL-CM:19.1.8 | |
| Options | | |

| | | |
|----------------------------|---|--|
| «data» | Wondlengte | |
| Alias | EN: WoundLength | |
| Definition | The length of the decubitus wound. | |
| Datatype | PQ | |
| DCM::DefinitionCode | SNOMED CT: 401238003 Length of wound | |
| DCM::DefinitionCode | NL-CM:19.1.9 | |
| DCM::ExampleValue | 100 mm | |

| | | |
|--------------------------------------|--|--|
| Options | | |
| «data» | Wondbreedte | |
| Alias | EN: WoundWidth | |
| Definition | The width of the decubitus wound. | |
| Datatype | PQ | |
| DCM::DefinitionCode | SNOMED CT: 401239006 Width of wound | |
| DCM::DefinitionCode | NL-CM:19.1.10 | |
| DCM::ExampleValue | 30 mm | |
| Options | | |
| «data» | Wonddiepte | |
| Alias | EN: WoundDepth | |
| Definition | The depth of the decubitus wound. | |
| Datatype | PQ | |
| DCM::DefinitionCode | SNOMED CT: 425094009 Depth of wound | |
| DCM::DefinitionCode | NL-CM:19.1.11 | |
| DCM::ExampleValue | 8 mm | |
| Options | | |
| «data» | Behandeling::VerpleegkundigeActie | |
| Alias | EN: Treatment::NursingProcedure | |
| Definition | The procedures carried out to treat the decubitus wound. | |
| Datatype | | |
| DCM::DefinitionCode | NL-CM:19.1.6 | |
| DCM::ReferencedDefinitionCode | NL-CM:14.2.9 | This is a reference to concept VerpleegkundigeActie in information model VerpleegkundigeInterventie. |
| Options | | |
| «data» | Preventie::VerpleegkundigeActie | |
| Alias | EN: Prevention::NursingProcedure | |
| Definition | The preventative procedures to prevent the decubitus wound from worsening. | |
| Datatype | | |
| DCM::DefinitionCode | NL-CM:19.1.7 | |
| DCM::ReferencedDefinitionCode | NL-CM:14.2.9 | This is a reference to concept VerpleegkundigeActie in information model VerpleegkundigeInterventie. |
| Options | | |
| «data» | WondFoto | |
| Alias | EN: WoundImage | |
| Definition | A photo of the decubitus wound as visual information. | |
| Datatype | ED | |
| DCM::DefinitionCode | NL-CM:19.1.12 | |
| Options | | |

| «data» | Toelichting |
|---------------------|--|
| Alias | EN: Explanation |
| Definition | An explanation of the decubitus wound. |
| Datatype | ST |
| DCM::DefinitionCode | NL-CM:19.1.5 |
| DCM::DefinitionCode | LOINC: 48767-8 Annotation comment |
| Options | |

| «document» | DecubitusAnatomischeLocatieCodelijst | |
|--|--|------------------------|
| Alias | | |
| Definition | | |
| Datatype | | |
| Options | | |
| DecubitusAnatomischeLocatieCodelijst | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.1.2 | |
| Codes | Coding Syst. Name | Coding System OID |
| SNOMED CT: <<91723000 anatomical structure | SNOMED CT | 2.16.840.1.113883.6.96 |

| «document» | DecubitusCategorieCodelijst | | | | | |
|-----------------------------|--|--------------|---------------|------------------------|-----------------------|--|
| Alias | | | | | | |
| Definition | | | | | | |
| Datatype | | | | | | |
| Options | | | | | | |
| DecubitusCategorieCodelijst | OID: 2.16.840.1.113883.2.4.3.11.60.40.2.19.1.1 | | | | | |
| Concept Name | Concept Value | Concept Code | CodeSys. Name | CodeSystem OID | Description | |
| Pressure ulcer stage 1 | 1 | 421076008 | SNOMED CT | 2.16.840.1.113883.6.96 | Decubitus categorie 1 | |
| Pressure ulcer stage 2 | 2 | 420324007 | SNOMED CT | 2.16.840.1.113883.6.96 | Decubitus categorie 2 | |
| Pressure ulcer stage 3 | 3 | 421927004 | SNOMED CT | 2.16.840.1.113883.6.96 | Decubitus categorie 3 | |
| Pressure ulcer stage 4 | 4 | 420597008 | SNOMED CT | 2.16.840.1.113883.6.96 | Decubitus categorie 4 | |

1.8 Example Instances

| DecubitusWond | |
|--------------------|---|
| AnatomischeLocatie | Linkerhiel |
| DecubitusCategorie | Decubitus categorie 2 |
| Wondlengte | 3 cm |
| Wondbreedte | 2 cm |
| Wonddiepte | - |
| OntstaansDatum | 01-09-2014 |
| Behandeling | |
| Activiteit | Dagelijkse wondcontrole en verbandwissel. |
| Preventie | |
| Activiteit | Ad-matras, toepassen van wisselligging. |
| Toelichting | Blaar met vocht op hiel. |

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

- V&VN (2011) *Landelijke multidisciplinaire richtlijn. Decubitus preventie en behandeling.* [Online] Beschikbaar op: www.diliguide.nl/document/1613/file/pdf/ [Geraadpleegd: 13 februari 2015]

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

This Clinical Building Block has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Model (a.k.a Clinical Building Block)s. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provided by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of this Clinical Building Block. The parties will not accept any liability for the content of information in this Clinical Building Block to which or from which a hyperlink is referred. In the event of contradictions in mentioned Clinical Building Block documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of this Clinical Building Block is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the information in this Clinical Building Block without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on information from this Clinical Building Block.

1.20 Copyrights

The user may copy, distribute and pass on the information in this Clinical Building Block under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NCSA-3.0). The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)