

Health&Care Information Model: nl.zorg.SpecifiekeMentaleFuncties

Final

Managed by:

Better healthcare
through better IT



Content

1. nl.zorg.SpecifiekeMentaleFuncties-v3.0.....	3
1.1 Revision History.....	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose.....	3
1.5 Patient Population	4
1.6 Evidence Base	4
1.7 Information Model	4
1.8 Example Instances.....	11
1.9 Instructions.....	11
1.10 Interpretation	11
1.11 Care Process	11
1.12 Example of the Instrument	11
1.13 Constraints.....	11
1.14 Issues	11
1.15 References	11
1.16 Functional Model	12
1.17 Traceability to other Standards.....	12
1.18 Disclaimer	12
1.19 Terms of Use	12
1.20 Copyrights	12

1. nl.zorg.SpecifiekeMentaleFuncties-v3.0

DCM::CoderList	Werkgroep RadB Verpleegkundige Gegevens
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	*
DCM::ContentAuthorList	Werkgroep RadB Verpleegkundige Gegevens
DCM::CreationDate	1-4-2014
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.18.4
DCM::KeywordList	Specifieke mentale functies, denken, geheugen, stemming, aandacht
DCM::LifecycleStatus	Final
DCM::ModelerList	Werkgroep RadB Verpleegkundige Gegevens
DCM::Name	nl.zorg.SpecifiekeMentaleFuncties
DCM::PublicationDate	1-5-2016
DCM::PublicationStatus	Published
DCM::ReviewerList	Projectgroep RadB Verpleegkundige Gegevens & Kerngroep Registratie aan de Bron
DCM::RevisionDate	8-9-2015
DCM::Superseeds	nl.nfu.SpecifiekeMentaleFuncties-v1.0
DCM::Version	3.0

1.1 Revision History

Publicatieversie 1.0 (01-07-2015)

Publicatieversie 3.0 (01-05-2016)

Bevat: ZIB-453

1.2 Concept

Important parts of the brain's specific mental functions are attention, mood, thought and memory. Disorders in attention, memory and observation combined with orientation and consciousness from the GeneralMentalFunctions building block are seen as important symptoms for a delirium.

The concept specific mental functions does not contain behavior resulting from a mental disorder.

1.3 Mindmap

1.4 Purpose


There is a link between the described specific mental functions. In context, insight into any disorders in the function(s) can provide a good picture of the patient’s mental state. This information is essential in drawing up the healthcare plan, taking into account the approach and support for the patient within their wishes and possibilities.

1.5 Patient Population

1.6 Evidence Base

The definitions of the concepts were (partially) taken from the ICF definitions.

1.7 Information Model



«rootconcept»	SpecifiekeMentaleFuncties
Alias	EN: SpecificMentalFunctions
Definition	Root concept of the SpecificMentalFunctions building block. This concept contains all data elements of the SpecificMentalFunctions building block.
Datatype	
DCM::DefinitionCode	NL-CM:18.4.1
Options	

«data»	Aandacht
Alias	EN: Attention
Definition	Attention is the specific mental function linked to focusing on an external stimulus or an internal experience during the required period. This concept includes holding your attention, changing areas of attention,

	dividing attention, and sharing attention; concentration; distractibility.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:18.4.2	
DCM::DefinitionCode	ICF: b140 Aandacht	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	AandachtCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.1
Options		

«container»	Geheugen	
Alias	EN: Memory	
Definition	Container of the Memory concept. This container contains all data elements of the Memory concept.	
Datatype		
DCM::DefinitionCode	NL-CM:18.4.5	
DCM::DefinitionCode	SNOMED CT: 303116000 Memory,function	
Options		

«data»	GeheugenKorteTermijn	
Alias	EN: ShortTermMemory	
Definition	The short-term memory includes the temporary memory storage of around 30 seconds, from which information is lost if it is not stored in the long-term memory.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:18.4.6	
DCM::DefinitionCode	ICF: b1440 Korte termijn geheugen	
DCM::ExampleValue	Matige stoornis	
DCM::ValueSet	GeheugenKorteTermijnCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.2
Options		

«data»	GeheugenLangeTermijn	
Alias	EN: LongTermMemory	
Definition	The long-term memory contains the memory system which enables a patient to store information from the short-term memory for longer periods of time. This includes both autobiographical memory, in which memories of certain events are stored, and semantic memory for language and facts.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:18.4.7	
DCM::DefinitionCode	ICF: b1441 Lange termijn geheugen	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	GeheugenLangeTermijnCode lijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.3
Options		

«container»	Denken	
Alias	EN: Thought	

Definition	Container of the Thought concept. This container contains all data elements of the Thought concept.	
Datatype		
DCM::DefinitionCode	SNOMED CT: 88952004 Thinking,function	
DCM::DefinitionCode	NL-CM:18.4.8	
Options		

«data»	Denktempo	
Alias	EN: SpeedOfThought	
Definition	Speed of thought describes the speed of the thinking process.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:18.4.9	
DCM::DefinitionCode	ICF: b1600 Denktempo	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	DenktempoCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.4
Options		

«data»	DenkenCoherentie	
Alias	EN: ThoughtCoherence	
Definition	Thought coherence describes the connections within and logic of the thought process. This concept includes superficiality, exhaustive detail and unnecessarily repeating executed procedures, spoken words or sentences and continuing to see past observations.	
Datatype	CO	
DCM::DefinitionCode	ICF: b1601 Wijze van denken	
DCM::DefinitionCode	NL-CM:18.4.10	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	DenkenCoherentieCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.5
Options		

«data»	DenkenInhoud	
Alias	EN: ThoughtContent	
Definition	Thought content describes the ideas present in the thought process: that which is conceptualized. This concept includes disorders such as fantasies, overvalued concepts and somatization.	
Datatype	CO	
DCM::DefinitionCode	ICF: b1602 Inhoud denkproces	
DCM::DefinitionCode	NL-CM:18.4.11	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	DenkenInhoudCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.6
Options		

«data»	DenkenControle	
Alias	EN: ThoughtControl	

Definition	The specific mental functions that describe the voluntary control of thought and which are recognized as such by the patient. This concept contains disorders such as getting stuck in certain thoughts, obsession and receiving and experiencing forced thoughts.	
Datatype	CO	
DCM::DefinitionCode	ICF: b1603 Controle denkproces	
DCM::DefinitionCode	NL-CM:18.4.12	
DCM::ExampleValue	Matige stoornis	
DCM::ValueSet	DenkenControleCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.7
Options		

«container»	Stemming	
Alias	EN: Mood	
Definition	Container of the Mood concept. This container contains all data elements of the Mood concept.	
Datatype		
DCM::DefinitionCode	NL-CM:18.4.13	
DCM::DefinitionCode	SNOMED CT: 85256008 Mood,function	
Options		

«data»	StemmingAdequaatheid	
Alias	EN: MoodAdequacy	
Definition	Mood adequacy describes congruence of feeling or affect with the situation, such as happiness when receiving good news.	
Datatype	CO	
DCM::DefinitionCode	ICF: b1520 Adequaatheid van stemming	
DCM::DefinitionCode	NL-CM:18.4.14	
DCM::ExampleValue	Lichte stoornis	
DCM::ValueSet	StemmingAdequaatheidCode lijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.8
Options		

«data»	StemmingRegulering	
Alias	EN: MoodRegulation	
Definition	Mood regulation describes experiencing affect and the ability to show affect.	
Datatype	CO	
DCM::DefinitionCode	ICF: b1521 Regulering van stemming	
DCM::DefinitionCode	NL-CM:18.4.15	
DCM::ExampleValue	Matige stoornis	
DCM::ValueSet	StemmingReguleringCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.9
Options		

«data»	VerpleegkundigeActie	
Alias	EN: NursingProcedure	

Definition	The nursing procedures needed to help the patient with disorders in specific mental functions.	
Datatype		
DCM::DefinitionCode	NL-CM:18.4.4	
DCM::ExampleValue	Ondersteunen dagstructuur, begeleiding inname medicatie en controleer op (bij)werking.	
DCM::ReferencedDefinitionCode	NL-CM:14.2.9	This is a reference to concept VerpleegkundigeActie in information model VerpleegkundigeInterventie.
Options		

«data»	Toelichting	
Alias	EN: Explanation	
Definition	An explanation of the specific mental functions.	
Datatype	ST	
DCM::DefinitionCode	NL-CM:18.4.3	
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment	
DCM::ExampleValue	Patiënt is verhuisd naar een eenpersoonskamer, omdat hij het idee had dat zijn buurman hem bespiedde. Begrijpt niet goed waarom hij in het ziekenhuis ligt.	
Options		

«document»	AandachtCodelijst	
Alias		
Definition		
Datatype		
Options		

AandachtCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.1		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1520.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1520.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1520.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1520.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1520.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»	GeheugenKorteTermijnCodelijst	
Alias		
Definition		
Datatype		
Options		

GeheugenKorteTermijnCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.2		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1440.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%

Lichte stoornis	b1440.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1440.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1440.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1440.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document» GeheugenLangeTermijnCodelijst				
Alias				
Definition				
Datatype				
Options				
GeheugenLangeTermijnCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.3	
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1441.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1441.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1441.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1441.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1441.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document» DenktempoCodelijst				
Alias				
Definition				
Datatype				
Options				
DenktempoCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.4	
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1600.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1600.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1600.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1600.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1600.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document» DenkenCoherentieCodelijst				
Alias				
Definition				
Datatype				
Options				
DenkenCoherentieCodelijst			OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.5	
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1601.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1601.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1601.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1601.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1601.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document» DenkenInhoudCodelijst	
Alias	

Definition				
Datatype				
Options				
DenkenInhoudCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.6			
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1602.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1602.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1602.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1602.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1602.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»	DenkenControleCodelijst			
Alias				
Definition				
Datatype				
Options				
DenkenControleCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.7			
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1603.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1603.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1603.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1603.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1603.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»	StemmingAdequatheidCodelijst			
Alias				
Definition				
Datatype				
Options				
StemmingAdequatheidCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.8			
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1520.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1520.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%
Matige stoornis	b1520.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1520.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1520.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

«document»	StemmingReguleringCodelijst			
Alias				
Definition				
Datatype				
Options				
StemmingReguleringCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.18.4.9			
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen stoornis	b1521.0	ICF	2.16.840.1.113883.6.254	Stoornis 0-4%
Lichte stoornis	b1521.1	ICF	2.16.840.1.113883.6.254	Stoornis 5-24%

Matige stoornis	b1521.2	ICF	2.16.840.1.113883.6.254	Stoornis 25-49%
Ernstige stoornis	b1521.3	ICF	2.16.840.1.113883.6.254	Stoornis 50-95%
Volledige stoornis	b1521.4	ICF	2.16.840.1.113883.6.254	Stoornis 96-100%

1.8 Example Instances

Specifieke Mentale Functies	
Aandacht	Lichte stoornis (5-24%)
Geheugen	
Geheugen Korte Termijn	Lichte stoornis (5-24%)
Geheugen Lange Termijn	Matige stoornis (25-49%)
Stemming	
Stemming Adequaatheid	Lichte stoornis (5-24%)
Stemming Regulering	Matige stoornis (25-49%)
Denken	
Denktempo	Lichte stoornis (5-24%)
Denken Coherentie	Lichte stoornis (5-24%)
Denken Inhoud	Lichte stoornis (5-24%)
Denken Controle	Matige stoornis (25-49%)
Verpleegkundige Actie	
Activiteit	Ondersteuning dagstructuur aan de hand van programma, lag op een eenpersoonskamer.
Toelichting	Patiënt is na operatie acuut verward geweest, gaat al wel beter, maar is soms nog weg kwijt. Heeft wel door dat hij soms in de war is en vindt dit erg vervelend.

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1. International Classification of Functioning Disability and Health (ICF) [Online] Beschikbaar op: <http://www.rivm.nl/who-fic/icf.htm> [Geraadpleegd: 13 februari 2015]

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

This Clinical Building Block has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Model (a.k.a Clinical Building Block)s. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of this Clinical Building Block. The parties will not accept any liability for the content of information in this Clinical Building Block to which or from which a hyperlink is referred. In the event of contradictions in mentioned Clinical Building Block documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of this Clinical Building Block is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the information in this Clinical Building Block without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on information from this Clinical Building Block.

1.20 Copyrights

The user may copy, distribute and pass on the information in this Clinical Building Block under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0). The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)

