

Health&Care Information Model: nl.zorg.Mobiliteit

Final

Managed by:

Better healthcare
through better IT



Content

1. nl.zorg.Mobiliteit-v3.0	3
1.1 Revision History.....	3
1.2 Concept	3
1.3 Mindmap	3
1.4 Purpose.....	3
1.5 Patient Population	4
1.6 Evidence Base	4
1.7 Information Model	4
1.8 Example Instances.....	7
1.9 Instructions.....	8
1.10 Interpretation	8
1.11 Care Process	8
1.12 Example of the Instrument	8
1.13 Constraints.....	8
1.14 Issues	8
1.15 References	8
1.16 Functional Model	8
1.17 Traceability to other Standards.....	8
1.18 Disclaimer	9
1.19 Terms of Use	9
1.20 Copyrights	9

1. nl.zorg.Mobiliteit-v3.0

DCM::CoderList	Werkgroep RadB Verpleegkundige Gegevens
DCM::ContactInformation.Address	*
DCM::ContactInformation.Name	*
DCM::ContactInformation.Telecom	*
DCM::ContentAuthorList	Werkgroep RadB Verpleegkundige Gegevens
DCM::CreationDate	11-2-2014
DCM::DeprecatedDate	
DCM::DescriptionLanguage	nl
DCM::EndorsingAuthority.Address	
DCM::EndorsingAuthority.Name	PM
DCM::EndorsingAuthority.Telecom	
DCM::Id	2.16.840.1.113883.2.4.3.11.60.40.3.4.3
DCM::KeywordList	Mobiliteit, lopen, houding veranderen, houding handhaven, uitvoeren transfer
DCM::LifecycleStatus	Final
DCM::ModelerList	Werkgroep RadB Verpleegkundige Gegevens
DCM::Name	nl.zorg.Mobiliteit
DCM::PublicationDate	1-5-2016
DCM::PublicationStatus	Published
DCM::ReviewerList	Projectgroep RadB Verpleegkundige Gegevens & Kerngroep Registratie aan de Bron
DCM::RevisionDate	8-9-2015
DCM::Superseeds	nl.nfu.Mobiliteit-v1.0
DCM::Version	3.0

1.1 Revision History

Publicatieversie 1.0 (01-07-2015)

Publicatieversie 3.0 (01-05-2016)

Bevat: ZIB-453

1.2 Concept

! Attention: this information model is undergoing major revision. A new version will be available after summer.

Mobility describes the abilities and any limitations in all aspects of mobility, such as changing position, walking and moving forward, in some cases with the help of an aid.

1.3 Mindmap

1.4 Purpose

The abilities and any limitations to mobility are documented:


- to be able to take this into account when in contact with the patient and when providing care to the patient;
- so as to monitor mobility in the event that mobility limitations are the subject of treatment;
- to be able to warrant the continuity of care in transfers.

1.5 Patient Population

1.6 Evidence Base

The definitions of the concepts were (partially) taken from the ICF definitions.

1.7 Information Model



«rootconcept»	Mobility	
Alias	EN: Mobility	
Definition	Root concept of the Mobility building block. This concept contains all data elements of the Mobility building block.	
Datatype		
DCM::DefinitionCode	NL-CM:4.3.1	
DCM::DefinitionCode	SNOMED CT: 301438001	
	Ability to mobilise	
Options		

«data»	Lopen
---------------	--------------

Alias	EN: Walking	
Definition	Walking is moving forward over a surface on foot, step by step, always with one foot on the ground, such as in walking, strolling, forwards, backwards, or sideways.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:4.3.3	
DCM::DefinitionCode	ICF: d450 Lopen	
DCM::ExampleValue	Matige beperking	
DCM::ValueSet	LopenCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.3.9
Options		

«data»	Hulpmiddel::MedischHulpmiddel	
Alias	EN: MedicalAid:MedicalAid	
Definition	Description of medical aids that can be used for limitations in mobility.	
Datatype		
DCM::DefinitionCode	SNOMED CT: 183135000 Mobility aid	
DCM::DefinitionCode	NL-CM:4.3.4	
DCM::ExampleValue	Rolstoel	
DCM::ReferencedDefinitionCode	NL-CM:10.1.1	This is a reference to concept MedischHulpmiddel in information model MedischHulpmiddel.
Options		

«data»	UitvoerenTransfer	
Alias	EN: Transfer	
Definition	A transfer is moving from one surface to another without changing the body's position, such as sliding across a couch or moving from the bed to a chair.	
Datatype	CO	
DCM::DefinitionCode	NL-CM:4.3.5	
DCM::DefinitionCode	ICF: d420 Uitvoeren van transfers	
DCM::DefinitionCode	SNOMED CT: 364666007 Ability to transfer	
DCM::ExampleValue	Lichte beperking	
DCM::ValueSet	UitvoerenTransferCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.3.7
Options		

«data»	HoudingVeranderen	
Alias	EN: ChangingPosition	
Definition	Changing position entails the body going from one position to another and going from one location to the next, such as getting out of a chair and into bed, or kneeling or crouching and getting back up.	
Datatype	CO	
DCM::DefinitionCode	SNOMED CT: 282869009 Ability to change position	
DCM::DefinitionCode	NL-CM:4.3.8	

DCM::DefinitionCode	ICF: d410 Veranderen van basale lichaamshouding	
DCM::ExampleValue	Matige beperking	
DCM::ValueSet	HoudingVeranderenCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.3.1
Options		

«data»	HoudingHandhaven	
Alias	EN: MaintainingPosition	
Definition	Maintaining position is staying in the same position, such as sitting in a chair or standing, when required.	
Datatype	CO	
DCM::DefinitionCode	SNOMED CT: 249868004 Ability to maintain position	
DCM::DefinitionCode	ICF: d415 Handhaven van lichaamshouding	
DCM::DefinitionCode	NL-CM:4.3.12	
DCM::ExampleValue	Geen beperking	
DCM::ValueSet	HoudingHandhavenCodelijst	OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.3.4
Options		

«data»	Toelichting	
Alias	EN: Explanation	
Definition	An explanation of the patient's mobility.	
Datatype	ST	
DCM::DefinitionCode	NL-CM:4.3.16	
DCM::DefinitionCode	LOINC: 48767-8 Annotation comment	
Options		

«data»	VerpleegkundigeActie	
Alias	EN: NursingProcedure	
Definition	The nursing procedures needed to help the patient with their limited mobility.	
Datatype		
DCM::DefinitionCode	NL-CM:4.3.17	
DCM::ExampleValue	Hulp met uit bed komen	
DCM::ReferencedDefinitionCode	NL-CM:14.2.9	This is a reference to concept VerpleegkundigeActie in information model VerpleegkundigeInterventie.
Options		

«document»	HoudingHandhavenCodelijst			
Alias				
Definition				
Datatype				
Options				
HoudingHandhavenCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.3.4		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description

Geen beperking	d415.0	ICF	2.16.840.1.113883.6.254	Beperking 0-4%
Lichte beperking	d415.1	ICF	2.16.840.1.113883.6.254	Beperking 5-24%
Matige beperking	d415.2	ICF	2.16.840.1.113883.6.254	Beperking 25-49%
Ernstige beperking	d415.3	ICF	2.16.840.1.113883.6.254	Beperking 50-95%
Volledige beperking	d415.4	ICF	2.16.840.1.113883.6.254	Beperking 96-100%

«document»		LopenCodelijst		
Alias				
Definition				
Datatype				
Options				
LopenCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.3.9		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen beperking	d450.0	ICF	2.16.840.1.113883.6.254	Beperking 0-4%
Lichte beperking	d450.1	ICF	2.16.840.1.113883.6.254	Beperking 5-24%
Matige beperking	d450.2	ICF	2.16.840.1.113883.6.254	Beperking 25-49%
Ernstige beperking	d450.3	ICF	2.16.840.1.113883.6.254	Beperking 50-95%
Volledige beperking	d450.4	ICF	2.16.840.1.113883.6.254	Beperking 96-100%

«document»		UitvoerenTransferCodelijst		
Alias				
Definition				
Datatype				
Options				
UitvoerenTransferCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.3.7		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen beperking	d420.0	ICF	2.16.840.1.113883.6.254	Beperking 0-4%
Lichte beperking	d420.1	ICF	2.16.840.1.113883.6.254	Beperking 5-24%
Matige beperking	d420.2	ICF	2.16.840.1.113883.6.254	Beperking 25-49%
Ernstige beperking	d420.3	ICF	2.16.840.1.113883.6.254	Beperking 50-95%
Volledige beperking	d420.4	ICF	2.16.840.1.113883.6.254	Beperking 96-100%

«document»		HoudingVeranderenCodelijst		
Alias				
Definition				
Datatype				
Options				
HoudingVeranderenCodelijst		OID: 2.16.840.1.113883.2.4.3.11.60.40.2.4.3.1		
Concept Name	Concept Code	CodeSys. Name	CodeSystem OID	Description
Geen beperking	d410.0	ICF	2.16.840.1.113883.6.254	Beperking 0-4%
Lichte beperking	d410.1	ICF	2.16.840.1.113883.6.254	Beperking 5-24%
Matige beperking	d410.2	ICF	2.16.840.1.113883.6.254	Beperking 25-49%
Ernstige beperking	d410.3	ICF	2.16.840.1.113883.6.254	Beperking 50-95%
Volledige beperking	d410.4	ICF	2.16.840.1.113883.6.254	Beperking 96-100%

1.8 Example Instances

Mobiliteit	
Lopen	Matige beperking (25-49%)
HoudingVeranderen	Matige beperking (25-49%)
HoudingHandhaven	Lichte beperking (5-24%)
UitvoerenTransfer	Lichte beperking (5-24%)
Toelichting	Rollator is eigen bezit.
VerpleegkundigeActie	
Activiteit	Ondersteunen met opstaan en lopen.
Hulpmiddel	
ProductType	Rollator

1.9 Instructions

1.10 Interpretation

1.11 Care Process

1.12 Example of the Instrument

1.13 Constraints

1.14 Issues

1.15 References

1. International Classification of Functioning Disability and Health (ICF) [Online] Beschikbaar op: <http://www.rivm.nl/who-fic/icf.htm> [Geraadpleegd: 13 februari 2015]

1.16 Functional Model

1.17 Traceability to other Standards

1.18 Disclaimer

This Clinical Building Block has been made in collaboration with several different parties in healthcare. These parties asked Nictiz to manage good maintenance and development of the information models. Hereafter, these parties and Nictiz are referred to as the collaborating parties. The collaborating parties paid utmost attention to the reliability and topicality of the data in these Health and Care Information Model (a.k.a Clinical Building Block)s. Omissions and inaccuracies may however occur. The collaborating parties are not liable for any damages resulting from omissions or inaccuracies in the information provided, nor are they liable for damages resulting from problems caused by or inherent to distributing information on the internet, such as malfunctions, interruptions, errors or delays in information or services provide by the parties to you or by you to the parties via a website or via e-mail, or any other digital means. The collaborating parties will also not accept liability for any damages resulting from the use of data, advice or ideas provided by or on behalf of the parties by means of this Clinical Building Block. The parties will not accept any liability for the content of information in this Clinical Building Block to which or from which a hyperlink is referred. In the event of contradictions in mentioned Clinical Building Block documents and files, the most recent and highest version of the listed order in the revisions will indicate the priority of the documents in question. If information included in the digital version of this Clinical Building Block is also distributed in writing, the written version will be leading in case of textual differences. This will apply if both have the same version number and date. A definitive version has priority over a draft version. A revised version has priority over previous versions.

1.19 Terms of Use

The user may use the information in this Clinical Building Block without limitations. The copyright provisions in the paragraph concerned apply to copying, distributing and passing on information from this Clinical Building Block.

1.20 Copyrights

The user may copy, distribute and pass on the information in this Clinical Building Block under the conditions that apply for Creative Commons license Attribution-NonCommercial-ShareAlike 3.0 Netherlands (CC BY-NC-SA-3.0). The content is available under Creative Commons Attribution-NonCommercial-ShareAlike 3.0 (see also <http://creativecommons.org/licenses/by-nc-sa/3.0/nl/>)